

WELL DESTRUCTION APPLICATION

FC 198 (02-25-20) Page 1 of 4

Consultant: Drilling Company: Address: Address: City, State, Zip City, State, Zip City, State, Zip City, State, Zip Check if address or phone number has changed All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers. WELL INFORMATION Well Registration No.: Well Casing Depth: Total Boring Depth: Total Boring Depth: Total Boring Depth: Case Name/No.: Case Name/No.: Caseworker Telephone No.: WATER PRODUCTION MONITORING REMEDIATION DEWATERING HEAT INJECTION CATHODIC PROTECTION CATHODIC PROTECTION OTHER PRODUCTION All Sparce Permanent Closed Groundwater Cleanup	>	Please complet	e all information.	VALLEY WATER PERMIT NO.:									
City, State, Zip Consultant: Address: City, State, Zip City, State, Zip Consultant: Address: City, State, Zip Consultant: Address: City, State, Zip Cofficients No.: Cofficients No.	Well Owner:				Property Owner:				Name of Busi	Name of Business/Residence at Site:			
Telephone No.: Telephone No.:	Well Owner's Mailing Address:				Property Owner's Mailing Address:			Address of V	Address of Well Site:				
Book Page Parcel Well on Valley Water property/casement (See General Condition Consultant: Drilling Certifyany: Drilling Certifyany: See General Condition Consultant: See General Consultant: See General Consultant: See General Condition See General Consultant: See General Consultant	City, State, Zip				City, State, Zip				City, State, Zi	City, State, Zip			
Consultant: Drilling Complany:	Telephone No.:				Telephone No.:								
Address: City, State, Zip Telephone No.: Telephone No.: Check if address or phone number has changed All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers. WELL INFORMATION Well Registration No.: Owner/Consultant Well No.: Original Well Construction Permit No.: Well Casing Depth: Total Boring Depth: Well Casing Diameter: This Section to Be Completed for All Monitoring Wells or Extraction/Recovery Wells Case Name/No.: Oversight Agency: Caseworker Name: Oversight Agency: Caseworker Telephone No.: Dewaters Name: Oversight Agency: Caseworker Section to Be Completed for All Monitoring Wells or Extraction/Recovery Wells Caseworker Name: Oversight Agency: Caseworker Section to Be Completed for All Monitoring Wells or Extraction/Recovery Wells Caseworker Name: Oversight Agency: Caseworker Telephone No.: Catholic Groundwater Cleanup Remediation Stormwater Cleanup Remediation Consecution								☐ Well on Valley Water property/easement (See General Condition					
City, State, Zip Cleck if address or phone number has changed Check if address or phone number has changed All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers. Well Registration No.: Well Registration No.: Owner/Consultant Well No: Original Well Construction Permit No.: Well Casing Depth: Well Casing Diameter: This Section to Be Completed for All Monitoring Wells or Extraction/Recovery Wells Case Name/No.: Oversight Agency: Caseworker Telephone No.: Cathobic Protection OTHER PRODUCTION Industrial GW Level GW Caualty GW Extraction GW Cathobic GW	Co	onsultant:					Drilling Company:						
Telephone No.: Telephone No.:	Ad	ddress:					Address:						
Check if address or phone number has changed All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers. WELL INFORMATION	City, State, Zip						City, State, Zip						
All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers. Well Information	Telephone No.:						Telephone No.:			C-57 License No.:			
Well Registration No.: Owner/Consultant Well No.: Original Well Construction Permit No.: Well Casing Depth: Total Boring Depth: Well Casing Diameter: Well Casin	Check if address or phone number has changed						☐ CI	Check if address or phone number has changed					
Well Casing Depth: Total Boring Depth: Well Casing Diameter: Well Casing Diameter: This Section to Be Completed for All Monitoring Wells or Extraction/Recovery Wells Case Name/No.: Case Name/No.: Caseworker Name: Caseworker Telephone No.: WATER PRODUCTION PROTECTION PROTECTION OTHER PRODUCTION GATHODIC PROTECTION GATHODIC PROTECTION GROUND G	▶ All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to												
Well Casing Depth: Total Boring Depth: Well Casing Diameter: Well Casing Diameter: This Section to Be Completed for All Monitoring Wells or Extraction/Recovery Wells Case Name/No.: Case Name/No.: Caseworker Name: Caseworker Telephone No.: WATER PRODUCTION PROTECTION PROTECTION OTHER PRODUCTION GATHODIC PROTECTION GATHODIC PROTECTION GROUND G													
This Section to Be Completed for All Monitoring Wells or Extraction/Recovery Wells Case Name/No.: Caseworker Name: Oversight Agency: Caseworker Telephone No.: Caseworker Telephone No.:							Io.: Original Well Construction Permit No.:						
Caseworker Name: Oversight Agency: Caseworker Telephone No.: Caseworker Telephone No.: WATER PRODUCTION Agricultural GW Level GW Quality GW Extraction GW Material Emplacement GW Material Emplac	Well Casing Depth:				Total Boring Depth:			Well Casing Diameter:					
Oversight Agency: Caseworker Telephone No.: Caseworker Telephone No. Profice Action Casework Action Displayer Casewo	Tł	nis Section to Be	Completed for All	Monitoring	g Wells or Extrac	tion/Reco	overy W	ells					
WATER PRODUCTION GREMEDIATION DEWATERING HEAT EXCHANGE Groundwater Cleanup Reinjection GW Level GW Extraction Temporary GP Groundwater Cleanup Reinjection GW Agricultural Inclinometer Material Emplacement Gopen Stormwater Gopen Stormwater Gopen Groundwater Cleanup Reinjection GW Quality GW Extraction GW Agricultural GW Extraction GW Extraction GW Quality GW Extraction GW QW QUALITY GW QW QUALITY GW QW	Ca	ase Name/No.:					Casev	vorker Name:					
WATER MONITORING REMEDIATION DEWATERING HEAT EXCHANGE CATHODIC PROTECTION PROTECTION CATHODIC PROTECTION PROTEC	O	versight Agency:					Casev	vorker Telephor	ne No.:				
Domestic GW Quality GW Extraction Temporary Dopen Stormwater Water Supply Recharge Other Oth	/USE	WATER	_				-	HEAT	_	ON	CATHODIC	_	
Does the well have: 1. Outer conductor casing?	∠	☐ Domestic☐ Industrial	☐ GW Quality☐ Inclinometer☐ Vapor	☐ GW E: ☐ Materi ☐ Vapor	xtraction al Emplacement			Loop Open	Reinjection Stormwater Water Suppl	·			
2. Annular cement seal outside of casing at surface? Yes No 3. A S.C.V.W.D. water meter attached? Yes No Original Drilling Method: IMPORTANT: A minimum 24-hour notice must be given to Valley Water's Well Ordinance Program prior to installing the				ADDITI	ONAL QUESTION	ONS FO	R WAT	ER PRODUC	ING WELLS				
3. A S.C.V.W.D. water meter attached?	Do	oes the well have:	1. Outer conductor casing?						Yes No				
Original Drilling Method: IMPORTANT: A minimum 24-hour notice must be given to Valley Water's Well Ordinance Program prior to installing the							g at surf						
IMPORTANT: A minimum 24-hour notice must be given to Valley Water's Well Ordinance Program prior to installing the			3.	A S.C.V.W.D. water meter attached?					Yes No				
	0	riginal Drilling Me	ethod:										
Place allow 10 working days to process permit application	I	MPORTANT:	annular seal. I	Please cal	I Valley Water's	s Well O	rdinan	ce Hotline at					



5750 Almaden Expressway San Jose, CA 95118-3686 (408) 265-2600

WELL DESTRUCTION APPLICATION

FC 198 (02-25-20) Page 2 of 4


SITE PLAN

Well Location

(Draw accurately; recommend using assessor's map):

- 1. Sketch well location to scale; show dimensions to nearest foot.
- Show a minimum of two dimensions at right angles.
 Dimensions shall be from the centerline of the closest named streets, roads, or highways.

EXAMPLE:



Sketch well location as described above:

Please allow 10 working days to process this application.



5750 Almaden Expressway San Jose, CA 95118-3686 (408) 265-2600

WELL DESTRUCTION APPLICATION

FC 198 (02-25-20) Page 3 of 4

Please describe in detail, the proposed destruction method (Any well destruction in which the well casing is left in place and in which the well has a filter pack outside the casing, must be destroyed using approved neat cement grout):										
I understand and agree that all work associated with this permit is required to be done in accordance with Santa Clara Valley Water District (Valley Water) Well Ordinance 90-1, Valley Water Well Standards, and conditions of this permit (see page 4). I certify that the information given in this permit is correct to the best of my knowledge and that the signature below, whether original, electronic, or photocopied, is authorized and valid, and is affixed with the intent to be enforceable. I also certify that a right of entry/encroachment agreement has been formalized between the well owner and property owner, if parties differ.										
Signature of Well Owner/Agent:		Print Name:		Date:						
Signature of Property Owner/Agent:		Print Name:		Date:						
Signature of Driller/Agent:		Date:								
Signature of Consultant/Agent (if any):	Date:									
VALLEY WATER USE ONLY										
Valley Water has approved the following destruction methods for the well described in this permit:										
□ Pressure Grout Method (as outlined in Standards) NOTE: Neat cement is the only sealing material approved for pressure grouting.										
☐ Drill out well to a total depth of	out well to a total depth of feet, with a minimum bore of									
Clean out well casing to a total depth of feet and back fill with approved sealing material (if total depth is unknown, driller must determine total depth during clean out of well). NOTE: Neat cement is the only sealing material approved for back filling gravel packed wells.										
□ Well casing must be perforated at the following depths prior to backfilling:										
□ Other:										
Permit Approved by:	Date:									
Valley Water Permit No.:	Date Issued:	Expiration Date:	Driller's Log No.:							
Pla	ase allow 10 working days	to process this conficati	- 10							

WELL DESTRUCTION APPLICATION

FC 198 (02-25-20) Page 4 of 4

GENERAL CONDITIONS

- A. The Valley Water's Well Ordinance Program (408-630-2660) must be notified a minimum of one working day before the placement of the well destruction sealing materials. An authorized Valley Water representative must be on site to witness the destruction activities. This requirement may be waived by an authorized Valley Water representative. If Valley Water waives the inspection requirement, Valley Water may request the permittee(s) to furnish certification under penalty of perjury that the well was destroyed in accordance with Valley Water Water Well Standards and with the permit conditions.
- B. This permit is valid only for the purpose specified herein. Well destruction methods authorized under this permit may not be changed except by written approval of an authorized Valley Water representative, and only if Valley Water believes that such a change will result in equal or superior compliance with Valley Water and State Well Standards (e.g., if Valley Water representative believes that site conditions warrant such a change).
- C. This permit is only valid for the Assessor's Parcel No. indicated on it.
- D. This permit may be voided if it contains incorrect information. If the permit is voided after work has begun, the well or boring that is being destroyed under this permit may be required to be reconstructed in accordance with Valley Water and State Well Standards.
- E. If any work associated with this permit will take place on Valley Water property/easement, an encroachment or construction permit must be granted by the Valley Water's Community Projects Review Unit (telephone 408-630-2650).
- F. Within 30 days of the completion of the well destruction activities, the driller or consultant identified on this permit shall fully complete State of California DWR Form 188 and submit the original to the Valley Water's Wells and Water Production Unit.
- G. The permittee(s) shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend, and hold Valley Water, its officers, agents, and employees free and harmless from any and all expense, cost, and liability in connection with or resulting from, the granting of or exercise of this permit including, but not limited to, property damage, personal injury, and wrongful death.
- H. Permittees are required to be in full compliance with Cal/OSHA California Labor Code Section 6300.
- I. A current C-57 Water Well Drilling Contractor's License is required for the destruction of all wells.
- J. Permittee, permittee's contractors, consultants, or agents shall be responsible to assure that all materials generated during drilling, well destruction, well development, pump testing, or other activities associated with this permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials/waters be allowed to enter, or potentially enter, on- or off-site storm sewers, dry wells, or waterways. Such materials/ waters shall not be allowed to move off the property where the work is being completed.
- K. The driller and consultants (if applicable) shall have an active copy of their Worker's Compensation Insurance on file with Valley Water.
- L. This permit shall expire if not exercised within 180 calendar days of its approval unless an extension of the permit expiration date is granted by an authorized Valley Water representative.
- M. If the well approved to be destroyed under this permit is a monitoring well, associated with an investigation/cleanup overseen by a regulatory agency, the proposed well destruction must be approved by the person with regulatory authority over the investigation/cleanup.
- N. This permit must be kept on site during all activities associated with it and shall immediately be presented to an authorized Valley Water representative upon request.
- O. Permittee shall notify Underground Service Alert (USA) at 1-800-227-2600 or 811 prior to any digging.

Please allow 10 working days to process this application.